

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13794	dut or (device near2 under near2 test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:32
L2	1745450	laser or emitter or led or (light near2 source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:32
L3	2194935	\$5detector or \$5sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:32
L4	1362258	controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:32
L5	2462410	(graphic\$3 near2 user near2 interface) or monitor or display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:32
L6	395	L1 and L2 and L3 and L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:32
L8	5564	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near8 (dut or (device near2 under near2 test))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:38
L10	237	6 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:39
L11	247	6 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:39
L12	135	11 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:39

L13	64203	(graphic\$3 near2 user near2 interface) or gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:52
L14	3036	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near5 (characteristic) near7 ((dut or (device near2 under near2 test)) or (optic\$2 near2 fiber) or waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:55
L15	19	14 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:01
L16	12	15 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:03
L17	1745450	laser or emitter or led or (light near2 source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:34
L18	2194935	\$5detector or \$5sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:34
L19	1362258	controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:34
L20	2462410	(graphic\$3 near2 user near2 interface) or monitor or display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:34
L21	1734703	memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:34
L22	3036	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near5 (characteristic) near7 ((dut or (device near2 under near2 test)) or (optic\$2 near2 fiber) or waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:34

L23	111	L17 and L18 and L19 and L20 and L21 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:41
L24	1	23 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:41
L25	1472	(determin\$5 or detect\$5 or measur\$5 or monitor\$5 or calculat\$5 or inspect\$5) near5 (sensiti\$5) near7 ((dut or (device near2 under near2 test)) or (optic\$2 near2 fiber) or waveguide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 14:56
L26	13	25 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:47
L27	4422	(356/73.1,300,301,302,303,304,305,306,307,308,309,310).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:48
L28	8171	(250/237G,237G,573,574,575,576,577,343,344,345,346,227.11,227.12,227.13,227.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:51
L29	12463	27 or 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:51
L30	0	29 and 13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:51
L31	17	29 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:51

L32	2	(((graphic\$3 near2 user near2 interface) or gui) and sensitivity and controller and memory and (dut or (device near2 under near2 test))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:53
-----	---	--	---	----	----	------------------